



Clip Battens

# **Batten** Fixing Spans

**Wind Regions**

- A Max Span
- B Max Span
- C Max Span

Clip Batten **Fixing Span (mm) - Wind Region A** Max Span (mm)

Part	Steel 0.75BMT	Timber Pine F7	Concrete ≥ N25	Solid Clay Brick	Solid Sand Lime Brick	Aerated Concrete Block
KEB2525F	1500	1500	1500	1500	1500	1500
KEB3232F	2000	2000	2000	2000	2000	1990
KEB4040F	2400	2400	2400	2400	2400	1590
KEB3250FD	1700	1700	1700	1700	1700	1700
KEB3275FD	1300	1300	1300	1300	1300	1300
KEB2550F	1800	1800	1800	1800	1800	860
KEB2575F	2400	2400	2400	2120	1410	470
KEB25100F	1830	1830	2400	1210	800	260
KEB25150F	650	650	1240	560	370	N/A
KEB5050M	2400	2400	2400	2400	2400	1270
KEB50100F	2400	2400	2400	1950	1300	430
KEB50150F	2270	2400	2390	1070	710	N/A
KEB50200F	1300	1790	1370	610	410	N/A
KEB5054FD	2400	2400	2400	2400	2100	1110
KEB5080FA	2400	2400	2400	2400	1890	630
KEB50150FE	1920	2400	2020	900	600	N/A
KEB50200FE	1150	1790	1370	610	410	N/A
KEB75150F	2400	2400	2400	1300	860	280
KEB5025F	2400	2400	2400	2400	2400	2400
KEB7525F	2500	2500	2500	2500	2500	2500
KEB10025F	2900	2900	2900	2900	2900	2900
KEB15025F	3500	3500	3500	3500	3500	3500

## Fasteners

Steel	Buildex #14-12 Cyclonic Zips (with EDPM Sealing Washer)
Timber	Buildex #14-10 Type 17 Screw (with EDPM Sealing Washer)
Concrete & Solid Clay Brick	Hilti HSU-HR 8
Solid Sand Lime Brick & Aerated Concrete Block	Hilti HSU-HR 6

**NB. Dissimilar metals shall be isolated from one another where dissimilar metal corrosion can occur.**

**Tables are a guide only - please consult the following engineering for full details.**

Clip Batten **Fixing Span (mm) - Wind Region B** Max Span (mm)

Part	Steel 0.75BMT	Timber Pine F7	Concrete ≥ N25	Solid Clay Brick	Solid Sand Lime Brick	Aerated Concrete Block
KEB2525F	1400	1400	1400	1400	1400	1400
KEB3232F	1800	1800	1800	1800	1800	1250
KEB4040F	2100	2100	2100	2100	2100	1000
KEB3250FD	1300	1300	1300	1300	1300	1300
KEB3275FD	1100	1100	1100	1100	1100	1100
KEB2550F	1700	1700	1700	1700	1630	540
KEB2575F	2400	2400	2400	1340	890	290
KEB25100F	1170	1170	1710	770	510	N/A
KEB25150F	420	420	790	350	N/A	N/A
KEB5050M	2400	2400	2400	2400	2400	800
KEB50100F	2400	2400	2400	1230	820	270
KEB50150F	1430	1960	1500	670	450	N/A
KEB50200F	820	1130	860	390	260	N/A
KEB5054FD	2400	2400	2400	2400	2100	700
KEB5080FA	2400	2400	2400	1780	1190	390
KEB50150FE	1270	1740	1330	600	400	N/A
KEB50200FE	710	980	750	330	220	N/A
KEB75150F	1730	2370	1810	810	540	N/A
KEB5025F	2200	2200	2200	2200	2200	2200
KEB7525F	2400	2400	2400	2400	2400	2400
KEB10025F	2600	2600	2600	2600	2600	2600
KEB15025F	3000	3000	3000	3000	3000	3000

### Fasteners

Steel	Buildex #14-12 Cyclonic Zips (with EDPM Sealing Washer)
Timber	Buildex #14-10 Type 17 Screw (with EDPM Sealing Washer)
Concrete & Solid Clay Brick	Hilti HSU-HR 8
Solid Sand Lime Brick & Aerated Concrete Block	Hilti HSU-HR 6

**NB. Dissimilar metals shall be isolated from one another where dissimilar metal corrosion can occur.**

**Tables are a guide only - please consult the following engineering for full details.**

Clip Batten **Fixing Span (mm) - Wind Region C** Max Span (mm)

Part	Steel 0.75BMT	Timber Pine F7	Concrete ≥ N25	Solid Clay Brick	Solid Sand Lime Brick	Aerated Concrete Block
KEB2525F/SF	1300	1300	1300	1300	1300	1300
KEB3232F	1700	1700	1700	1700	1700	1040
KEB4040F	2000	2000	2000	2000	2000	830
KEB3250FD	1200	1200	1200	1200	1200	1200
KEB3275FD	1000	1000	1000	1000	1000	1000
KEB2550F	1600	1600	1600	1600	1360	450
KEB2575F	2090	2090	2400	1120	740	N/A
KEB25100F	970	970	1430	640	420	N/A
KEB25150F	350	350	660	290	N/A	N/A
KEB5050M	2200	2200	2200	2200	1990	660
KEB50100F	2160	2400	2270	1020	680	N/A
KEB50150F	1190	1630	1250	560	370	N/A
KEB50200F	680	940	720	320	N/A	N/A
KEB5054FD	2400	2400	2400	2400	1740	580
KEB5080FA	2200	2200	2200	1480	990	330
KEB50150FE	1080	1480	1130	510	340	N/A
KEB50200FE	590	810	620	280	N/A	N/A
KEB75150F	1430	1970	1510	680	450	N/A
KEB5025F	1900	1900	1900	1900	1900	1900
KEB7525F	2200	2200	2200	2200	2200	2200
KEB10025F	2500	2500	2500	2500	2500	2500
KEB15025F	3000	3000	3000	3000	3000	3000

## Fasteners

Steel	Buildex #14-12 Cyclonic Zips (with EDPM Sealing Washer)
Timber	Buildex #14-10 Type 17 Screw (with EDPM Sealing Washer)
Concrete & Solid Clay Brick	Hilti HSU-HR 8
Solid Sand Lime Brick & Aerated Concrete Block	Hilti HSU-HR 6

**NB. Dissimilar metals shall be isolated from one another where dissimilar metal corrosion can occur.**

**Tables are a guide only - please consult the following engineering for full details.**