KNOTWOOD - GENERIC SELF-MATING SLATS CLADDING SHOP DRAWINGS

PROPERTY MANAGER:
PER ARCHITECT / ENGINEER

DESIGN ENGINEER:

PVE, LLC2000 GEORGETOWN DRIVE, SUITE 101
SEWICKLEY, PA 15143

CLR

EMBED EMBEDMENT

DRAWING LIST	LATEST REVISION	DATE
T-100 - TITLE SHEET		
S-001 - GENERAL NOTES		
S-100 - HORIZONTAL CLADDING PLAN & ELEVATION		
S-101a - HORIZONTAL CLADDING WOOD FRAMING		
S-101b - HORIZONTAL CLADDING LIGHT GAUGE FRAMING		
S-101c - HORIZONTAL CLADDING CMU WALL DETAILS		
S-101d - HORIZONTAL CLADDING FURRING DETAILS		
S-101e - HORIZONTAL CLADDING TO SHEATHING DETAILS		
S-200 - VERTICAL CLADDING PLAN & ELEVATIONS		
S-201a - VERTICAL CLADDING METAL FURRING DETAILS		
S-201b - VERTICAL CLADDING CMU DETAILS		
S-300 - PARALLEL SOFFIT PLAN VIEW		
S-301 - PARALLEL SOFFIT TYPICAL DETAILS		
S-400 - PERPENDICULAR SOFFIT PLAN VIEW		
S-401 - PERPENDICULAR SOFFIT TYPICAL DETAILS		

SHORT LED (DIM) VERTICAL

<u>ABB</u>	<u> REVIATIO</u>	<u>NS</u> :	<u>ABBREVIATIO</u>	ONS (CONT.):	<u>ABBREVIATI</u>	ONS (CONT.):	<u>ABBREVIATI</u>	ONS (CONT.):	<u>ABBREVIA</u> 1	TIONS (CONT.):	<u>ABBREVIAT</u>	IONS (CONT.):
ABV	1	ABOVE	CLSM	CONTROLLED LOW STRENGTH MATERIAL	EOS	EDGE OF SLAB	kN	KILONEWTON	(N)	NEW	SOG	SLAB-ON-GRADE
ACI		AMERICAN CONCRETE INSTITUTE	CMU	CONCRETE MASONRY UNIT	EQ	EQUAL	kPa	KILOPASCAL	OC	ON CENTER	STD	STANDARD
ACIF	P	AUGERED CAST-IN-PLACE PILES	CO	CLEAN OUT	EQUIP EQU	JIPMENT	1	LITER	OPNG OP	ENING	STL	STEEL
ADD	D'L ADDIT	ΓΙΟΝΑL	COL	COLUMN	EW	EACH WAY	L	LENGTH	OPP	OPPOSITE	STRUCT STR	RUCTURAL
AE		AIR-ENTRAINED	CONC CON	CRETE	EXIST	EXISTING	LBS	POUNDS	O.F.	OUTER FACE	T	TOP OF TREAD
AISC	2	AMERICAN INSTITUTE OF STEEL CONSTRUCTION	CONT CON	TINUOUS	EXP	EXPANSION	Ld	REINF BAR DEVELOPMENT LENGTH	PJP	PARTIAL JOINT PENETRATION	T/	TOP OF
ANS	SI	AMERICAN NATIONAL STANDARDS INSTITUTE	COORD COO	RDINATE	FT	FOOT/FEET	LLH	LONG LEG HORIZ	PSF	POUNDS PER SQUARE FOOT	TOF	TOP OF FOOTING
APP	ROX	APPROXIMATELY	COTR	CONTRACTING OFFICER'S TECHNICAL REPRESENTATIVE	FTG	FOOTING	LLV	LONG LEG VERT	PSI	POUNDS PER SQUARE INCH	TOS	TOP OF STEEL
AR		ANCHOR ROD	db	REINFORCING BAR DIAMETER	FE	FIRE ESCAPE	LP	LOW POINT	PT	POST-TENSION	THK	THICK
ARC	H ARCH	ITECTURAL	DIA	DIAMETER	GALV	GALVANIZE	LTWT	LIGHT WEIGHT	R	RISER	TMS	THE MASONRY SOCIETY
ASC	Έ	AMERICAN SOCIETY OF CIVIL ENGINEERS	DN	DOWN	GL	GRIDLINE	m	METER	REF	REFERENCE	TYP	TYPICAL
AST	M AMER	RICAN SOCIETY FOR TESTING & MATERIALS	DTLS	DETAILS	Н	HIGH	mm	MILLIMETER	REINF RE	NFORCING OR REINFORCEMENT	UNO	UNLESS NOTED OTHERWISE
AWS	S	AMERICAN WELDING SOCIETY	DWG	DRAWING	HORIZ HOR	RIZONTAL	MAX	MAXIMUM	REQ'D RE	QUIRED	VERT	VERTICAL
В		BOTTOM	DWLS DOW	/ELS	HP	HIGH POINT	MANUF MA	NUFACTURER	SCHED SC	HEDULE	W/C	WATER-CEMENTITIOUS MATERIAL RATIO
B/		BOTTOM OF	E	EXISTING	HS	HIGH STRENGTH	MECH ME	CHANICAL	SC	SLIP CRITICAL	W	WIDTH
ВН		BULKHEAD	EA	EACH	HSA	HEADED SHEAR ANCHOR	MEP	MECH/ELECT/PLUMBING	SDI	STEEL DECK INSTITUTE	WD	WOOD
BLD	G	BUILDING	EF	EACH FACE	IN	INCH(ES)	MIN	MINIMUM	SDL	SUPERIMPOSED DEAD LOAD	WP	WORK POINT
BM		BEAM	EL	ELEVATION	IP	INFLECTION POINT	MPa	MEGAPASCAL	SEC	SECONDS	WWR WE	LDED WIRE REINFORCEMENT
ВОТ	-	BOTTOM	ELECT	ELECTRICAL	I.F.	INSIDE FACE	MTL	METAL	SIM	SIMILAR		
CJP		COMPLETE JOINT PENETRATION	ELEV	ELEVATOR	JT	JOINT	N	NEWTON	SJI	STEEL JOIST INSTITUTE		

NLWT NORMAL WEIGHT

KIPS (1000 POUNDS)



PREPARED FOR:

Stunning Aluminum
5555 W Roosevelt St
Phoenix, AZ 85043

ISSUED FOR: PRELIMINARY REVIEW

ISSUED DATE: 05/15/2024

PLAN REVISIONS

NO. DATE DESCRIPTION

THE DESIGN CONCEPTS, IDEAS, AND ALL ASSOCIATED INFORMATION DEPICTED HEREIN IS THE SOLE PROPERTY OF PVE, LLC. THIS DOCUMENT HAS BEEN PREPARED SOLELY FOR BENEFIT OF THE PERSON(S) NAMED ABOVE AND FOR THE PROJECT NOTED ON THIS DOCUMENT. THE REPRODUCTION, ALTERATION, USE BY ANY THIRD PARTY, OR USE FOR ANY PURPOSE OTHER THAN SPECIFIED, WITHOUT WRITTEN CONSENT FROM PVE LLC, IS PROHIBITED AND A VIOLATION OF LAW. USE OF THIS DOCUMENT IS WITH FULL RESPONSIBILITY OF ALL INHERENT ERRORS OR OMISSIONS. ELECTRONIC COPIES OF THIS DOCUMENT SHALL BE SUBJECT TO THE SAME COPYRIGHT CONDITIONS AS STATED ABOVE. ELECTRONIC MEDIA MAY CONTAIN ERRORS OR SYSTEM INCOMPATIBILITIES. PVE, LLC. IN ISSUANCE OF THIS DOCUMENT, MAKES N. GUARANTEES AS TO THE ACCURACY OF THE ELECTRONIC DATA OR THE GENERAL WORKABILITY OF THIS DOCUMENT.

PROJECT NAME:

KNOTWOOD - GENERIC SELF-MATING SLATS CLADDING DRAWINGS

PROJECT LOCATION:

DRAWING NAME:

TITLE SHEET

SEAL & SIGNATURE

PROJECT NO:

202110314

DRAWN BY:

CDK

CHECKED BY:

DSG

DRAWING NO:

T_100

GENERAL NOTES:

- DRAWING REFERENCE:
- CONTRACTOR TO VERIFY ALL DIMENSIONS IN FIELD PRIOR TO INSTALLATION. DO NOT SCALE OFF DRAWINGS.
- ALL MEMBERS SHALL BE SAW CUT IN FIELD AS REQUIRED.
- NO SPLICES SHALL BE PERMITTED UNLESS INDICATED OTHERWISE ON DRAWINGS.
- TOUCH UP ALL SCRATCHES WITH DEALER PROVIDED COLORS TO MATCH.
- WELDING IS NOT PERMITTED, UNLESS OTHERWISE INDICATED ON DRAWINGS.
- 7. THE CONTENTS SHOW THE APPLICATION OF ALUMINUM KNOTWOOD FRAMING COMPONENTS ONLY. THE INSTALLING CONTRACTOR IS TO REFER TO THE PROJECT DOCUMENTS FOR ADDITIONAL REQUIREMENTS.
- 8. DIMENSIONS HEREIN ARE FOR ENGINEERING PURPOSES ONLY AND MUST BE REVIEWED FOR THE PURPOSE OF APPROVAL. ALL CONDITIONS ARE SUBJECT TO APPROVAL AND TO FIELD VERIFICATION PRIOR TO FABRICATION OR INSTALLATION.
- BEFORE ORDERING, FABRICATING OR ERECTING ANY MATERIAL, MAKE ANY NECESSARY SURVEYS AND MEASUREMENTS TO VERIFY THAT IN PLACE WORK HAS BEEN BUILT ACCORDING TO THE CONTRACT DOCUMENTS AND ARE WITHIN ACCEPTABLE TOLERANCES. THIS INCLUDES THE ORIGINAL BUILDINGS AND ALL ADDITIONS THERETO. NOTIFY THE A/E AND OWNER'S REPRESENTATIVES OF ANY DISCREPANCIES PRIOR TO CONSTRUCTION.
- 10. TEMPORARY BRACING OF THE SYSTEM AND SAFETY DURING CONSTRUCTION IS SOLELY THE RESPONSIBILITY OF THE CONTRACTOR. TEMPORARY BRACING OF THE SYSTEM SHALL REMAIN IN PLACE UNTIL THE SYSTEM IS TOTALLY IN PLACE. CONTRACTOR SHALL COORDINATE LOCATIONS OF TEMPORARY BRACING WITH OTHER CONTRACTORS. REFER TO DRAWINGS FOR ADDITIONAL CRITERIA.
- 11. THIS SUBMITTAL IS SUBJECT TO THE REVIEW AND APPROVAL OF THE PROJECT ARCHITECT/ENGINEER OF RECORD PRIOR TO INSTALLATION.

BUILDING LOADS:

SUPERIMPOSED DEAD LOAD AND LIVE LOADS

a.	DEAD	DEAD LOAD					
	1.	KESM15016	1.37 PLF				
	2.	KESM10016	0.70 PLF				
	3.	KESM6516	0.33 PLF				

- a. LIVE LOADS N/A FOR CLADDING
- SNOW LOADS
- a. N/A SNOW LOADS NEGLECTED WIND LOADS CONTROL
- a. 200 PSF ULTIMATE (120 PSF ALLOWABLE) MAXIMUM WIND PRESSURE
- SEISMIC
 - a. N/A SEISMIC LOADS NEGLECTED WIND LOADS CONTROL

CODES AND STANDARDS:

- THE FOLLOWING CODES AND STANDARDS, INCLUDING ALL SPECIFICATIONS REFFERENCED WITHIN, APPLY TO THE DESIGN AND CONSTRUCTION OF THIS PROJECT WITH LATEST EDITION PER GOVERNING BUILDING CODE TO BE USED:
 - a. ASCE 7-16, "MINIMUM DESIGN LOADS FOR BUILDINGS AND OTHER STRUCTURES"

ACI 318-14. "BUILDING CODE REQUIREMENTS FOR STRUCTURAL CONCRETE"

- b. ASCE 7-10, "MINIMUM DESIGN LOADS FOR BUILDINGS AND OTHER STRUCTURES"
- c. IBC 2018, "INTERNATIONAL BUILDING CODE" d. IBC 2015, "INTERNATIONAL BUILDING CODE"
- e. 7TH EDITION 2020 FLORIDA BUILDING CODE (IBC 2018)
- AA ADM-2015 "ALUMINUM DESIGN MANUAL"
- AA ADM-2010 "ALUMINUM DESIGN MANUAL"

ALUMINUM NOTES:

- ALL STRUCTURAL ALUMINUM COMPONENTS SHALL BE FABRICATED AND ERECTED ACCORDING TO THE GOVERNING BUILDING CODE AND ADM.

MATERIAL NOTES: ALL SHAPES SHALL BE ONE OF THE FOLLOWING ALUMINUM ALLOYS AND TEMPERS:

6061-T6 6063-T6 6063-T5 F_v: 35 KSI F_v: 25 KSI F_v: 16 KSI F_u: 38 KSI F_u: 30 KSI F_u: 22 KSI E: 10x10³ KSI

SCREWS:

SELF-TAPPING METAL SCREWS (AS NOTED) - #10 MINIMUM GALVANIZED UNLESS NOTED OTHERWISE

- 304/316 STAINLESS STEEL OR ALUMINUM COATED WHERE NOTED AT HIGH/SALT EXPOSURE
- WHERE ALUMINUM IS IN CONTACT WITH OTHER METALS EXCEPT 300 SERIES STAINLESS TELL, ZINC OR CADMIUM AND THE FAYING SURFACES ARE EXPOSED TO MOISTURE, THE OTHER METALS SHALL BE PAINTED OR COATED WITH ZINC, CADMIUM, OR ALUMINUM.
- UNCOATED ALUMINUM SHALL NOT BE EXPOSED TO MOISTURE OR RUNOFF THAT HAS COME IN CONTACT WITH OTHER UNCOATED METALS EXCEPT 300 SERIES STAINLESS, ZINC, OR CADMIUM.
- ALUMINUM SURFACES TO BE PLACED IN CONTACT WITH WOOD, FIBERBOARD, OR OTHER POROUS
- ALUMINUM SURFACES SHALL BE PAINTED IF THEY ARE TO BE PLACED IN CONTACT WITH CONCRETE OR MASONRY UNLESS THE CONCRETE OR MASONRY REMAINS DRY AFTER CURING AND NO CORROSIVE
- ALUMINUM SHALL NOT BE EMBEDDED IN CONCRETE WITH CORROSIVE ADDITIVES SUCH AS CHLORIDES IF THE ALUMINUM IS ELECTRICALLY CONNECTED TO STEEL. ALUMINUM EMBEDDED IN CONCRETE SHALL BE WRAPPED WITH 10 MIL PIPE WRAP OR PLASTIC TAPE. WRAP MUST PROTECT ALL ALUMINUM SURFACES FROM EXPOSURE TO CONCRETE.
- AS AN ALTERNATIVE TO THE PREVIOUS REQUIREMENTS FOR ALUMINUM IN CONTACT WITH OTHER MATERIALS, ALUMINUM SHALL BE SEPARATED FROM THE MATERIALS OF THIS SECTION BY A NONPOROUS ISOLATOR COMPATIBLE WITH THE ALUMINUM AND THE DISSIMILAR MATERIAL.
- STEEL FASTENERS WITH A MINIMUM TENSILE ULTIMATE STRENGTH GREATER THAN 120 KSI IN THE LOAD BEARING PORTION OF THE SHANK SHALL NOT BE USED IN CONTACT WITH ALUMINUM. ALL FASTENERS SHALL BE LOCATED AT A SPACING THAT CONFORMS TO AISC STANDARD GAGE AND PITCH.
- 11. BOLT HOLES SHALL BE DRILLED THE SAME NOMINAL DIAMETER AS THE BOLT + 1/16" (U.O.N.).
- PREDRILL ALL HOLES FOR MATERIAL THICKER THAN 3/16".

MATERIAL THAT ABSORBS WATER SHALL BE PAINTED.

ADDITIVES SUCH AS CHLORIDES ARE USED.

- NOMINAL DIAMETER OF UNTHREADED HOLES FOR SCREWS SHALL NOT EXCEED THE NOMINAL DIAMETER OF THE SCREWS BY MORE THAN 1/16".
- THE SPACING BETWEEN SCREW CENTERS SHALL NOT BE LESS THAN 2.5 TIMES THE NOMINAL DIAMETER OF THE SCREWS.
- THE DISTANCE FROM THE EDGE OF A PART TO THE CENTER OF THE SCREWS SHALL NOT BE LESS THAN 1.5 TIMES THE NOMINAL DIAMETER OF THE SCREW.
- WASHERS SHALL HAVE A NOMINAL DIAMETER NOT LESS THAN 5/16" AND SHALL HAVE A NOMINAL THICKNESS NOT LESS THAN 0.050".

FLORIDA DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATIONS (DBPR):

SELF-MATING SLATS HAVE NOT BEEN TESTED FOR FLORIDA DBPR PRODUCT APPROVAL FOR HVHZ ZONES.

TYPICAL SCREW FASTENER LEGEND:

NOTE: SCREWS SHOWN BELOW ARE TYPICAL EXAMPLES AND ALL MAY NOT BE USED IN PROJECT. CONTRACTOR MAY ELECT TO USE OTHER TYPES. SCREW MATERIAL PER THE GENERAL NOTES AND MINIMUM SCREW DIAMETER PER THE DETAILS MUST BE MAINTAINED. DRILL POINT, HEAD STYLE, AND THREAD COUNT PER INCH SHALL BE SELECTED BY THE CONTRACTOR BASED ON THE APPLICATION.

#10-16X1" HEX WASHER HEAD (HWH) SELF DRILLING SCREW (5/16" HEX-HEAD) (METAL TO METAL) MANUF. PART NO. 10100HW3CS	TRIANGLE FASTENER 1-800-486-1832
#10-12X1-1/2" BURR-BUSTER SELF DRILLING SCREW (5/16" HEX-HEAD) (METAL TO WOOD) MANUF. PART NO. 10150HWBB17CSTSBW	TRIANGLE FASTENER 1-800-486-1832
#10-16X5/8" BLAZER LO PROFILE PANCAKE HEAD SELF DRILLING SCREW (2/2 QUADREX DRIVE) (METAL TO METAL) MANUF. PART NO. CSSD5-#10X5/8"-PC-QX-F	TRIANGLE FASTENER 1-800-486-1832
3/16"x1-3/4" ULTRACON+ SELF DRILLING SCREW (1/4" HEX-HEAD) (METAL TO CMU) MANUF. PART NO. DFM12702	DEWALT, ELCO, & POWERS 1-800-524-3244
#12-11X1" GP SELF DRILLING SCREW (2/2 QUADREX DRIVE) (THIN METAL) MANUF. PART NO. 12100SPCGCSTS	TRIANGLE FASTENER 1-800-486-1832
#12-24X1-1/2" SD5 PANCAKE HEAD SELF DRILLING SCREW (2/2 QUADREX DRIVE) (METAL TO METAL) MANUF. PART NO. CSSD5-#12X1-1/2"-PC-QX-F	SFS INTECT 1-800-234-4533

ENLARGED PART DETAILS (DIMENSIONS IN [] ARE MM):

KESM15016	5 7/8" [150]
KESM10016	3 7/8" [100]
KESM6516	2 1/2" [65]
KECFBF	2 3/4" [70]
KECFTTLM	2 1/2" [65]
KECFJBF	3 7/8" [100]
КЕСТЈМ	2" [50]
KECIECF	1 3/4" [45]
KECIECLM	2" [52]



PREPARED FOR: **L** KNOTWOOD ™ Stunning Aluminum

ISSUED DATE:

ISSUED FOR: PRELIMINARY REVIEW

5555 W Roosevelt St

Phoenix, AZ 85043

PLAN REVISIONS

05/15/2024

DESCRIPTION

HE DESIGN CONCEPTS, IDEAS, AND ALL ASSOCIATED INFORMATION DEPICTED HEREIN IS THE SOLE PROPERTY OF PA

LLC. THIS DOCUMENT HAS BEEN PREPARED SOLELY FOR BENEFIT OF THE PERSON(S) NAMED ABOVE AND FOR THE PROJECT NOTED ON THIS DOCUMENT. THE REPRODUCTION, ALTERATION, USE BY ANY THIRD PARTY, OR USE FOR ANY PURPOSE OTHER THAN SPECIFIED, WITHOUT WRITTEN CONSENT FROM PVE LLC, IS PROHIBITED AND A VIOLATION OF LAW. USE OF THIS DOCUMENT IS WITH FULL RESPONSIBILITY OF ALL INHERENT ERRORS OR OMISSIONS. ELECTRONIC COPIES OF THIS DOCUMENT SHALL BE SUBJECT TO THE SAME COPYRIGHT CONDITIONS AS STATED ABOVE. ELECTRON MEDIA MAY CONTAIN ERRORS OR SYSTEM INCOMPATIBILITIES. PVE, LLC. IN ISSUANCE OF THIS DOCUMENT, MAKES NO UARANTEES AS TO THE ACCURACY OF THE ELECTRONIC DATA OR THE GENERAL WORKABILITY OF THIS DOCUMEN

PROJECT NAME:

KNOTWOOD - GENERIC SELF-MATING SLATS CLADDING DRAWINGS

PROJECT LOCATION:

DRAWING NAME:

GENERAL NOTES

SEAL & SIGNATURE PROJECT NO: 202110314 DRAWN BY: CHECKED BY:


DRAWING NO: S-001

2 OF 15


CDK

DSG





1 HORIZONTAL CLADDING GENERIC PLAN VIEW 3/4" = 1'-0"



PREPARED FOR:

KNOTWOOD Stunning Aluminum 5555 W Roosevelt St Phoenix, AZ 85043

ISSUED FOR: PRELIMINARY REVIEW

ISSUED DATE: 05/15/2024

PLAN REVISIONS NO. DATE DESCRIPTION

THE DESIGN CONCEPTS, IDEAS, AND ALL ASSOCIATED INFORMATION DEPICTED HEREIN IS THE SOLE PROPERTY OF PVE, LLC. THIS DOCUMENT HAS BEEN PREPARED SOLELY FOR BENEFIT OF THE PERSON(S) NAMED ABOVE AND FOR THE PROJECT NOTED ON THIS DOCUMENT. THE REPRODUCTION, ALTERATION, USE BY ANY THIRD PARTY, OR USE FOR ANY PURPOSE OTHER THAN SPECIFIED, WITHOUT WRITTEN CONSENT FROM PVE LLC, IS PROHIBITED AND A VIOLATION OF LAW. USE OF THIS DOCUMENT IS WITH FULL RESPONSIBILITY OF ALL INHERENT ERRORS OR OMISSIONS ELECTRONIC COPIES OF THIS DOCUMENT SHALL BE SUBJECT TO THE SAME COPYRIGHT CONDITIONS AS STATED ABOVE. ELECTRONIC MEDIA MAY CONTAIN ERRORS OR SYSTEM INCOMPATIBILITIES. PVE, LLC. IN ISSUANCE OF THIS DOCUMENT, MAKES NO GUARANTEES AS TO THE ACCURACY OF THE ELECTRONIC DATA OR THE GENERAL WORKABILITY OF THIS DOCUMENT.

PROJECT NAME:

KNOTWOOD - GENERIC SELF-MATING SLATS CLADDING DRAWINGS

PROJECT LOCATION:

DRAWING NAME:


HORIZONTAL CLADDING PLAN & ELEVATION


SEAL & SIGNATURE PROJECT NO: 202110314 DRAWN BY: CDK CHECKED BY: DSG

> DRAWING NO: S-100


> > 3 OF 15


2 HORIZONTAL CLADDING GENERIC ELEVATION VIEW 3/4" = 1'-0"







PREPARED BY:









RECHBINECTILIAN (TVP)

RESAUDOS & RESAUSSASSISSIM.

RESAUDOS & RESAUSSASSISSIM.

RESAUDOS & RESAUSSISSIM.

RESAUDOS & RESAUDOS & RESAUSSISSIM.

RESA

KECFBF/KECFTTLM (TYP) -

2 VERTICAL CLADDING ELEVATION
3/4" = 1'-0"

PREPARED BY:

2000 GEORGETOWN DRIVE, SUITE 101
SEWICKLEY, PA 15143

PHONE: (724)-444-1100
FAX: (724) 444-1104
E-MAIL: STRUCTURES@PVE-LLC.COM

FINAL LAYOUT MAY VARY, THE CONTRACTOR
 SHALL FIELD VERIFY ALL DIMENSIONS PRIOR TO
 COMMENCEMENT OF ANY WORK.

FINAL CLADDING SPLICE LOCATIONS TO BE COORDINATED BY THE G.C.

PREPARED FOR:

KNOTWOOD

Stunning Aluminum

5555 W Roosevelt St
Phoenix, AZ 85043

ISSUED FOR:
PRELIMINARY REVIEW

ISSUED DATE: 05/15/2024

PLAN REVISIONS

NO. DATE DESCRIPTION

THE DESIGN CONCEPTS, IDEAS, AND ALL ASSOCIATED INFORMATION DEPICTED HEREIN IS THE SOLE PROPERTY OF PVE, LLC. THIS DOCUMENT HAS BEEN PREPARED SOLELY FOR BENEFIT OF THE PERSON(S) NAMED ABOVE AND FOR THE PROJECT NOTED ON THIS DOCUMENT. THE REPRODUCTION, ALTERATION, USE BY ANY THIRD PARTY, OR USE FOR ANY PURPOSE OTHER THAN SPECIFIED, WITHOUT WRITTEN CONSENT FROM PVE LLC, IS PROHIBITED AND A VIOLATION OF LAW. USE OF THIS DOCUMENT IS WITH FULL RESPONSIBILITY OF ALL INHERENT FRORDS OR OMISSIONS. ELECTRONIC COPIES OF THIS DOCUMENT IS WITH FULL RESPONSIBILITY OF ALL INHERENT FRORDS OR STATED ABOVE. ELECTRONIC MEDIA MAY CONTAIN ERRORS OR SYSTEM INCOMPATIBILITIES. PVE, LLC. IN ISSUANCE OF THIS DOCUMENT, MAKES NO GUARANTEES AS TO THE ACCURACY OF THE ELECTRONIC DATA OR THE GENERAL WORKABILITY OF THIS DOCUMENT.

PROJECT NAME:

KNOTWOOD - GENERIC SELF-MATING
SLATS CLADDING DRAWINGS

PROJECT LOCATION:

DRAWING NAME:

VERTICAL CLADDING PLAN & ELEVATIONS

SEAL & SIGNATURE


PROJECT NO: 202110314


DRAWN BY: CDK


CHECKED BY: DSG


DRAWING NO: S-200

9 OF 15









ALL MANUFACTURER INSTALLATION
 INSTRUCTIONS SHALL BE FOLLOWED FOR POST INSTALLED ANCHORS.

FAX: (724) 444-1104

E-MAIL: STRUCTURES@PVE-LLC.COM


PREPARED BY:


SEWICKLEY, PA 15143


2 TYPICAL VERTICAL CLADDING TO CMU EDGE DETAIL I
3" = 1'-0"

3 TYPICAL VERTICAL CLADDING TO CMU EDGE DETAIL II

4 TYPICAL VERTICAL CLADDING TO CMU CORNER DETAIL 3" = 1'-0"










5 TYPICAL VERTICAL CLADDING TO CMU INSIDE CORNER
3" = 1'-0"

6 OPTIONAL VERTICAL CLADDING TO CMU INTERIOR CORNER DETAIL
3" = 1'-0"

7 TYPICAL VERTICAL CLADDING TO CMU SPLICE DETAIL
3" = 1'-0"







8 TYPICAL VERTICAL CLADDING TO CMU BUTT JOINT DETAIL 6" = 1'-0"

9 TYPICAL SLOTTED VERTICAL CLADDING TO CMU CONNECTION DETAIL 6" = 1'-0"

10 TYPICAL VERTICAL CLADDING TO CMU END CAP DETAIL 3" = 1'-0"

PROJECT LOCATION:

N/A

DRAWING NAME:

VERTICAL CLADDING CMU DETAILS

SEAL & SIGNATURE

PROJECT NO: 202110314

DRAWN BY: CDK

CHECKED BY: DSG

DRAWING NO:

S-201b

PAGE NO:
11 OF 15

KNOTWOOD

Stunning Aluminum

5555 W Roosevelt St

Phoenix, AZ 85043

PRELIMINARY REVIEW

05/15/2024

DESCRIPTION

PLAN REVISIONS

THE DESIGN CONCEPTS, IDEAS, AND ALL ASSOCIATED INFORMATION DEPICTED HEREIN IS THE SOLE PROPERTY OF PVE, LLC. THIS DOCUMENT HAS BEEN PREPARED SOLELY FOR BENEFIT OF THE PERSON(S) NAMED ABOVE AND FOR THE PROJECT NOTED ON THIS DOCUMENT. THE REPRODUCTION, ALTERATION, USE BY ANY THIRD PARTY, OR USE FOR ANY

PROJECT NOTED IN THIS DOCUMENT. THE REPRODUCTION, ALTERNATION, OSE 9 THAY THIND PARITY, OR USE YOR AND PURPOSE OTHER THAN SPECIFIED, WITHOUT WRITTEN CONSENT FROM PVE LLC, IS PROHIBITED AND A VIOLATION OF LAW, USE OF THIS DOCUMENT IS WITH FULL RESPONSIBILITY OF ALL INHERENT ERRORS OR OMISSIONS, ELECTRONIC COPIES OF THIS DOCUMENT SHALL BE SUBJECT TO THE SAME COPYRIGHT CONDITIONS AS STATED ABOVE. ELECTRONIC MEDIA MAY CONTAIN ERRORS OR SYSTEM INCOMPATIBILITIES. PVE, LLC. IN ISSUANCE OF THIS DOCUMENT, MAKES NO GUARANTEES AS TO THE ACCURACY OF THE ELECTRONIC DATA OR THE GENERAL WORKABILITY OF THIS DOCUMENT.

KNOTWOOD - GENERIC SELF-MATING


SLATS CLADDING DRAWINGS

ISSUED FOR:

ISSUED DATE:

NO. DATE

PROJECT NAME:



1 TYPICAL PARALLEL SOFFIT RCP VIEW (CLADDING PARALLEL TO LONG WALL) 3/4" = 1'-0"

PREPARED BY:

2000 GEORGETOWN DRIVE, SUITE 101
SEWICKLEY, PA 15143
PHONE: (724)-444-1100
FAX: (724) 444-1104
E-MAIL: STRUCTURES@PVE-LLC.COM

1. FINAL LAYOUT MAY VARY, THE CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS PRIOR TO COMMENCEMENT OF ANY WORK.

2. FINAL CLADDING SPLICE LOCATIONS TO BE COORDINATED BY THE G.C.

PREPARED FOR:

KNOTWOOD

Stunning Aluminum

5555 W Roosevelt St
Phoenix, AZ 85043

ISSUED FOR:

PRELIMINARY REVIEW

ISSUED DATE: 05/15/2024

PLAN REVISIONS

NO. DATE DESCRIPTION

THE DESIGN CONCEPTS, IDEAS, AND ALL ASSOCIATED INFORMATION DEPICTED HEREIN IS THE SOLE PROPERTY OF PVE, LLC. THIS DOCUMENT HAS BEEN PREPARED SOLELY FOR BENEFIT OF THE PERSON(S) NAMED ABOVE AND FOR THE PROJECT NOTED ON THIS DOCUMENT. THE REPRODUCTION, ALTERATION, USE BY ANY THIRD PARTY, OR USE FOR ANY PURPOSE OTHER THAN SPECIFIED, WITHOUT WRITTEN CONSENT FROM PVE LLC, IS PROHIBITED AND A VIOLATION OF LAW. USE OF THIS DOCUMENT IS WITH FULL RESPONSIBILITY OF ALL INHERENT ERRORS OR OMISSIONS. ELECTRONIC COPIES OF THIS DOCUMENT SHALL BE SUBJECT TO THE SAME COPYRIGHT CONDITIONS AS STATED ABOVE. ELECTRONIC MEDIA MAY CONTAIN ERRORS OR SYSTEM INCOMPATIBILITIES. PVE, LLC. IN ISSUANCE OF THIS DOCUMENT, MAKES NO GUARANTEES AS TO THE ACCURACY OF THE ELECTRONIC DATA OR THE GENERAL WORKABILITY OF THIS DOCUMENT.

© PVE, LLC. 2023

PROJECT NAME:

KNOTWOOD - GENERIC SELF-MATING SLATS CLADDING DRAWINGS

PROJECT LOCATION:

r

DRAWING NAME:

PARALLEL SOFFIT PLAN VIEW

SEAL & SIGNATURE

PROJECT NO: 202110314


DRAWN BY: CDK


CHECKED BY: DSG

DRAWING NO:

S-300

12 OF 15





1 TYPICAL PERPENDICULAR SOFFIT RCP VIEW (CLADDING PERPENDICULAR TO LONG WALL) 3/4" = 1'-0"

FAX: (724) 444-1104 E-MAIL: STRUCTURES@PVE-LLC.COM

FINAL LAYOUT MAY VARY, THE CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS PRIOR TO COMMENCEMENT OF ANY WORK.

FINAL CLADDING SPLICE LOCATIONS TO BE COORDINATED BY THE G.C.

PREPARED FOR:

KNOTWOOD Stunning Aluminum 5555 W Roosevelt St Phoenix, AZ 85043

ISSUED FOR: PRELIMINARY REVIEW

ISSUED DATE:

05/15/2024

PLAN REVISIONS NO. DATE DESCRIPTION

THE DESIGN CONCEPTS, IDEAS, AND ALL ASSOCIATED INFORMATION DEPICTED HEREIN IS THE SOLE PROPERTY OF PVE, LLC. THIS DOCUMENT HAS BEEN PREPARED SOLELY FOR BENEFIT OF THE PERSON(S) NAMED ABOVE AND FOR THE PROJECT NOTED ON THIS DOCUMENT. THE REPRODUCTION, ALTERATION, USE BY ANY THIRD PARTY, OR USE FOR ANY PURPOSE OTHER THAN SPECIFIED, WITHOUT WRITTEN CONSENT FROM PVE LLC, IS PROHIBITED AND A VIOLATION OF LAW. USE OF THIS DOCUMENT IS WITH FULL RESPONSIBILITY OF ALL INHERENT ERRORS OR SISTING ABOVE. ELECTRONIC COPIES OF THIS DOCUMENT SHALL BE SUBJECT TO THE SAME COPYRIGHT CONDITIONS AS STATED ABOVE. ELECTRONIC MEDIA MAY CONTAIN ERRORS OR SYSTEM INCOMPATIBILITIES. PVE, LLC. IN ISSUANCE OF THIS DOCUMENT, MAKES NO GUARANTEES AS TO THE ACCURACY OF THE ELECTRONIC DATA OR THE GENERAL WORKABILITY OF THIS DOCUMENT. © PVE, LLC. 2023

PROJECT NAME:

KNOTWOOD - GENERIC SELF-MATING SLATS CLADDING DRAWINGS


PROJECT LOCATION:

DRAWING NAME:

PERPENDICULAR SOFFIT PLAN VIEW

SEAL & SIGNATURE PROJECT NO: 202110314 DRAWN BY: CDK CHECKED BY: DSG DRAWING NO: S-400

14 OF 15



DESCRIPTION

PROJECT NO:

DRAWN BY:

CHECKED BY:

DRAWING NO:

S-401

15 OF 15

202110314

CDK

DSG