



SYSTEMS **GUIDE**





WHAT IS KNOTWOOD?

Knotwood is a marine-grade aluminum building product that is designed to look like traditional wood panel. Our product is coated with a durable powder and finished with a sublimated woodgrain pattern. Knotwood is sustainable, resilient, high-quality, and low maintenance. Knotwood offers several standardized systems including cladding, soffit, fencing, gate, screens, decking, and pergolas. All Knotwood systems can be installed with standard carpentry tools. If you can do it with wood, you can do it with Knotwood.



BROWSE BY SYSTEM



CLADDING + SOFFIT p. 8-11



BATTENS **p. 12-15**



FENCING + SCREENS p. 16-21



ENCLOSURES p. 22-25



RAILINGS p. 26-29



GATES **p. 30-33**



DECKING **p. 34-37**



PERGOLAS p. 38-41

TABLE OF CONTENTS

6-7	Colors	30-33	Gates
8-11	Cladding + Soffits	34-37	Decking
12-15	Battens	38-41	Pergolas
16-21	Fencing + Screens	42	LEED Info
22-25	Enclosures	43	Warranty
26-29	Railings	44-52	Profile Index

ONE OF THE LARGEST SUBLIMATED WOODGRAIN OFFERINGS IN THE INDUSTRY.

Knotwood combines the natural beauty and timeless appeal of wood with the capabilities of aluminum.

All of our aluminum systems and products are available in our extensive range of powder coated and woodgrain colors.



STANDARD COLORS These colors are regularly stocked and have shorter lead times.

WOODGRAIN











SOLID



TEAK BROWN

Color availability and selection are subject to change. Scan the QR code to visit our website for the most up-to-date list of colors.

MAPLE

ATLANTIC CEDAR



WHITE ASH

EASTERN MAHOGANY

KWILA

SAVANNAH OAK

NON-STANDARD COLORS Lead times may be longer for these colors.

SOLID

WOODGRAIN

BLACKBUTT



KOA













CUSTOM SOLID COLORS ARE AVAILABLE FOR LARGER PROJECTS.

Contact your local Knotwood











WHITE







dealer for lead times.









Due to possible batch variations like natural wood, Knotwood will supply all materials for an order from the same batch. We recommend you ensure that there are sufficient materials from the same batch to complete your job, as there are no guarantees that extra product of the same batch (color and shade) can be supplied at a later date.

CLADDING + **SOFFIT**

CLADDING + SOFFIT - AUSTRALIAN CEDAR

Knotwood cladding is as beautiful as it is versatile. Our cladding is designed for both internal and external use. Horizontal and vertical applications, combined with our wide range of colors, offer true architectural freedom. Interlocking systems with a top-down installation option simplifies maintenance and repairs. Covered by a limited lifetime warranty and requiring virtually no maintenance, Knotwood provides the benefits of wood without the costly drawbacks.

BOARD SIZES

- 18' 6" lengths
- 4", 6" and 8" widths

FINISHING TRIMS

Knotwood cladding systems offer a variety of 2-piece finishing trims to suit any condition. Easily trim doors, windows, corners and more. See the installation guide or visit our website for more information.

OUR STYLES

Knotwood cladding is perfect for classic or contemporary styles. Knotwood can perform in both horizontal and vertical applications. Also, with an adjustable reveal feature, styling is functional.

CLADDING + SOFFIT PROFILES



6" CLADDING - KEC150

6" x ⁵/₈" x 18' 6" 150mm x 16mm x 5650mm



CORNER CLIP MALE -KECIECLM

2" x 2" x 18' 6" 50mm x 50mm x 5650mm



6" SELF-MATING SLAT -KESM15016

6" x %" x 18' 6 150mm x 16mm x 5650mm



CORNER CLIP 135 DEG MALE - KECIECLM135

4" x 5/8" x 18' 6" 100mm x 16mm x 5650mm **NON-STANDARD**



6" VENTED CLADDING -KECV150

6" x ⁵/₈" x 18' 6" 150mm x 16mm x 5650mm



CORNER CLIP FEMALE -KECIECF

1 ³/₄" x 1 ³/₄" x 18' 6" 45mm x 45mm x 5650mm



8" CLADDING - KEC200

8" x ⁵/₈" x 18' 6" 200mm x 16mm x 5650mm

NON-STANDARD



CORNER CLIP 135 DEG FEMALE - KECIECLF135

4" x 5/8" x 18' 6" 100mm x 16mm x 5650mm

NON-STANDARD



STARTER - KEDSTRADJ

1 ⁵/₈" x ⁵/₈" x 18' 6" 42mm x 16mm x 5650mm



TOP JOINER - KECTJM

2" x 5/8" x 18' 6" 50mm x 16mm x 5650mm



KEC100

100mm x 16mm x 5650mm



FLASHING BASE - KECFBF

BOTTOM JOINER - KECJBF

100mm x 16mm x 5650mm

2 ³/₄" x ⁵/₈" x 18' 6" 70mm x 16mm x 5650mm



TOP CLIP LARGE - KECFTTLM

2 5/8" x 5/8" x 18' 6" 65mm x 16mm x 5650mm



CLADDING CLIP - KAOCC45

Bag of 100 $1^{3}/4^{"}$ | 45mm



2.5" SELF-MATING SLAT -KESM6516*

2 ⁹/₁₆" x ⁵/₈" x 18' 6" 65mm x 16mm x 5650mm

NON-STANDARD



4" CLADDING -

4" x 5/8" x 18' 6"

NON-STANDARD



4" x 5/8" x 18' 6"


4" SELF-MATING SLAT -KESM10016

4" x 5/8" x 18' 6" 100mm x 16mm x 5650mm

NON-STANDARD

Our cladding provides the option for top-down installation which is faster, reducing labor time and costs.

Durable and strong design makes care and maintenance a breeze. Bottom-up installation is also optional with our interlocking cladding.



Wall Cladding

TOP DOWN INSTALLATION


PROFILES

- 1. KEDSTRADJ Starter
- 2. KEC150 6" Cladding
- 3. KECFBF Flashing Base
- 4. KECFTTLM Top Clip Large
- 5. KECIECF Corner Clip Female
- 6. KECIECLM Corner Clip Male
- 7. KAOCC45 Cladding Clip


Finish Shown: Tassie Oak











BATTENS

Knotwood Battens are an ingenious system that allows for creative and innovative designs. Express your style with a decorative feature wall or trellis using our 2-piece batten system. Our nternal fastening conceals all unsightly bolts and allows for a smooth, clean finished product. Backed by over 50 years of experience, the Knotwood batten system is designed for easy nstallation and near zero maintenance.



BATTEN SIZES

- 18' 6" lengths
- •1" x 2" •2" x 2"
- 1" x 3" 2" x 4"
- 1" x 4" 2" x 6"
- •1" x 6" •2" x 8"

OUR LOOKS

Mix and match lengths to create unique designs, or choose to stay with one size and length for a more uniform look. Dimensional designs are simple with our profile options. Visit our website for more information regarding our batten system.

IDEAS FOR USE

Some examples for uses of our batten system include pergola lattice, shade elements, awnings, screening and more.

BATTEN **PROFILES**



2" x 8" BATTEN -KEB20050F

2" x 8" x 18' 6" 200mm x 50mm x 5650mm



2" x 8" BATTEN CAP -KAEC20050-R

2" x 8" 50mm x 200mm



1" x 4" BATTEN -KEB10025F

1" x 4" x 18' 6" 25mm x 100mm x 5650mm

NON-STANDARD



2" BATTEN JOINER (45 DEG) - KEBJ45D

2" x 2 x 18' 6" 50mm x 50mm x 5650mm

NON-STANDARD



2" x 6" BATTEN -KEB15050F

2" x 6" x 18' 6" 150mm x 50mm x 5650mm



2" x 6" BATTEN CAP -KAEC15050-R

2" x 6" 50mm x 150mm



1" x 3" BATTEN -**KEB7525F**

1" x 3" x 18' 6" 25mm x 75mm x 5650mm

2" BATTEN JOINER -

50mm x 50mm x 5650mm

NON-STANDARD

KEBJ5050

2" x 2 x 18' 6"

NON-STANDARD





2" x 4" BATTEN -KEB10050F

2" x 4" x 18' 6" 100mm x 50mm x 5650mm



2" x 4" BATTEN CAP -KAEC10050-R

2" x 4" 50mm x 100mm



KEB5025F

1" x 2" x 18' 6" 25mm x 50mm x 5650mm

NON-STANDARD



2" x 2" BATTEN -KEB5050F

2" x 2" x 18' 6" 50mm x 50mm x 5650mm



2" x 2" BATTEN CAP -KAEC5050-R

2" x 2" 50mm x 50mm



2" BATTEN BASE -

50mm x 50mm x 5650mm

KEB5050M

2" x 2" x 18' 6"

1" x 6" BATTEN -KEB15025F

1" x 6" x 18' 6" 25mm x 150mm x 5650mm

NON-STANDARD



2" x 6" BATTEN JOINER -KEBJ15050

2" x 6" x 18' 6" 50mm x 150mm x 5650mm

NON-STANDARD



1" x 2" BATTEN -



2" x 8" BATTEN ELLIPTICAL -KEB20050FE

2" x 8" x 18' 6" 50mm x 200mm x 5650mm

NON-STANDARD



1" BATTEN BASE -

22mm x 48mm x 5650mm

NON-STANDARD

KEB5025MS

1" x 2" x 18' 6"

2" x 6" x 18' 6" 50mm x 150mm x 650mm

NON-STANDARD



2" x 6" BATTEN ELLIPTICAL -KEB15050FE

The 2-piece, snap-together system provides concealed fastening and simplified installation. Knotwood battens can perform in large scopes across a multitude of applications.

A range of profile sizes are available to suit any design. Combine our battens with other products and materials to bring your vision to life.



BATTENS **SECTION**

PROFILES


- 1. KEB5050M 2" Batten Base
- 2. KEB15050F 2" x 6" Batten
- 3. KAEC15050-R 2" x 6" Batten Cap

Finish Shown: White Ash














FENCING + SCREENS

Knotwood fencing and screening systems are stylish, durable, and low maintenance. Bring your vision to life using a variety of slat sizes, channels and post options. Enjoy peace of mind with full privacy, or a nice breeze with modular spacing features. Built to stand the test of time, your Knotwood fence will look great for years to come.



SLAT SIZES

- 1 1/2", 2 1/2", 4" and 6" widths
- 5/8" thickness

Mix and match sizes or keep it traditional with one. There are a variety of channels and posts at your disposal.

POSTS + CHANNELS

Our posts utilize an integrated channel system to suit an array of Knotwood slat sizes. Installation is streamlined with our universal slat channels. Concealed fastening provides a finished carpentry look.

OUR ACCESSORIES

Detailing is incredible with a variety of end caps, spacers, and infill.

FENCING + SCREEN PROFILES



2" x 8" BATTEN -KEB20050F

2" x 8" x 18' 6" 200mm x 50mm x 5650mm



2" x 6" BATTEN -KEB15050F

2" x 6" x 18' 6" 150mm x 50mm x 5650mm



2" x 2" BATTEN -KEB5050F

2" x 2" x 18' 6" 50mm x 50mm x 5650mm



2" BATTEN BASE -KEB5050M

2" x 2" x 18' 6" 50mm x 50mm x 5650mm



6" SLAT - KES15016

6" x 5/8" x 18' 6" 150mm x 16mm x 5650mm



4" SLAT - KES10016

4" x 5/8" x 18' 6" 100mm x 16mm x 5650mm



2.5" SLAT - KES6516'

2 9/16" X 5/8" X 18' 6" 65mm x 16mm x 5650mm



1.5" SLAT - KES3816

1 1/2" x 5/8" x 18' 6" 38mm x 16mm x 5650mm



2" x 4" BATTEN -

100mm x 50mm x 5650mm

KEB10050F

2" x 4" x 18' 6"

4" x 4" POST -KEGS100100

4" x 4" x 18' 6" 100mm x 100mm x 5650mm



2.5" x 2.5" POST -KEGS6565*

2 9/16" x 2 9/16" x 18' 6" 65mm x 65mm x 5650mm



2-WAY POST -KESP2W6565

2 9/16" x 2 9/16" x 18' 6" 65mm x 65mm x 5650mm



1-WAY POST/TOP RAIL - KESP1W6525*

2 9/16" x 1" x 18' 6" 65mm x 25mm x 5650mm



CORNER POST -KESP2C6565EF*

2 9/16" x 2 9/16" x 18' 6" 65mm x 65mm x 5650mm



3030 U-CHANNEL -KESP3030

1 1/4" x 1 1/4" x 18' 6" 30mm x 30mm x 5650mm



SMALL INFILL -KESINFS

1/4" x 3/4" x 18' 6" 20mm x 6mm x 5650mm



6" SELF-MATING SLAT - KESM15016

6" x 5%" x 18' 6 150mm x 16mm x 5650mm



4" END CAP -KAEC100100-R

4" x 4" 100mm x 100mm



2" x 8" BATTEN CAP -KAEC20050-R

50mm x 200mm



2" x 6" BATTEN CAP - KAEC15050-R

50mm x 150mm



2" x 4" BATTEN CAP -KAEC10050-R

2" x 4" 50mm x 100mm



2" x 2" BATTEN CAP -KAEC5050-R

2" x 2" 50mm x 50mm



1-WAY POST CAP -KAEC6525-R*

2 9/16" x 1" 65mm x 25mm



2-WAY POST CAP -KAEC6565-R*

2 9/16" X 2 9/16" 65mm x 65mm



3030 U-CHANNEL END CAP - KAEC3030-R

1 1/4" x 1 1/4" 30mm x 30mm



4" SELF-MATING SLAT - KESM10016

4" x 5/8" x 18' 6" 100mm x 16mm x 5650mm

NON-STANDARD



2.5" SELF-MATING SLAT - KESM6516*

2 9/16" X 5/8" X 18' 6" 65mm x 16mm x 5650mm

NON-STANDARD



1.5" SELF-MATING SLAT - KESM3816

1 ¹/₂" x ⁵/₈" x 18' 6" 38mm x 16mm x 5650mm

NON-STANDARD



2" x 6" BATTEN JOINER - KEBJ15050

2" x 6" x 18' 6" 50mm x 150mm x 5650mm



(45 DEG) - KEBJ45D

50mm x 50mm x 5650mm **NON-STANDARD**



2" x 2 x 18' 6"

50mm x 50mm x 5650mm NON-STANDARD



LOUVERED SLAT END CAP - KAECL1-P

Fits 2.5" slat only



LOUVERED SLAT END CAP 2 - KAECL2-P

Fits 2.5" slat only



SPACER - 100 PACK

8MM - KASP08 16MM - KASP16 24MM - KASP24

Knotwood fencing is both functional and beautiful.

Design and resilience are a priority with our systems.

Customize your design options without sacrificing performance. Knotwood stands strong in any privacy level across many conditions.




Fencing HORIZONTAL

PROFILES

- 1. KES15016 6" Slat
- 2. KESP2W6565 2-Way Post
- 3. KESP1W6525 1-Way Post
- 4. KESINFS Small Infill
- 5. KAEC6565-R 2-Way Post Cap
- 6. KASP08 Spacers (8MM)

Finish Shown: Bush Cherry















Knotwood screens can be configured in a multitude of ways to provide privacy, sound abatement, weather protection, shade, and equipment concealment.









Screen

HORIZONTAL




Finish Shown: White Ash













SLAT SIZES

- 1 1/2", 2 1/2", 4" and 6" widths
- 5/8" thickness

Mix and match sizes or keep it traditional with one. There are a variety of channels and posts at your disposal.

POSTS + CHANNELS

Our posts utilize an integrated channel system to suit an array of Knotwood slat sizes. Hide utilities, AC, pool equipment and/or waste with customized enclosures. Concealed fastening provides a finished carpentry look.

OUR STYLES

Detailing is incredible with a variety of end caps, spacers and infill.

ENCLOSURE PROFILES



6" SLAT - KES15016

6" x ⁵/₈" x 18' 6" 150mm x 16mm x 5650mm



4" x 4" POST - KEGS100100

4" x 4" x 18' 6" 100mm x 100mm x 5650mm



2-WAY GATE CONNECTOR POST - KESP2W5030

2 ¹/₂" x 1 ¹/₂" x 18' 6" 66mm x 44mm x 5650mm



SMALL INFILL - KESINFS

¹/₄" x ³/₄" x 18' 6" 20mm x 6mm x 5650mm



4" SLAT - KES10016

4" x ⁵/₈" x 18' 6" 100mm x 16mm x 5650mm



2 ¹/₂" x 2 ¹/₂ POST -KEGS6565*

2 ⁹/₁₆" x 2 ⁹/₁₆" x 18' 6" 65mm x 65mm x 5650mm



CORNER POST - KESP2C6565EF*

2 ⁹/₁₆" x 2 ⁹/₁₆" x 18' 6" 65mm x 65mm x 5650mm



4" END CAP -KAEC100100-R

4" x 4" 100mm x 100mm



2.5" SLAT - KES6516*

2 ⁹/₁₆" x ⁵/₈" x 18' 6" 65mm x 16mm x 5650mm



2-WAY POST - KESP2W6565*

2 9/16" x 2 9/16" x 18' 6" 65mm x 65mm x 5650mm



3030 U-CHANNEL -KESP3030

1 ¹/₄" x 1 ¹/₄" x 18' 6" 30mm x 30mm x 5650mm



2-WAY POST CAP -KAEC6565-R*

2 ⁹/₁₆" x 2 ⁹/₁₆" 65mm x 65mm



1.5" SLAT - KES3816

1 ¹/₂" x ⁵/₈" x 18' 6" 38mm x 16mm x 5650mm



1-WAY POST/TOP RAIL - KESP1W6525*

2 ⁹/₁₆" x 1" x 18' 6" 65mm x 25mm x 5650mm



LARGE INFILL - KESINFL

¹/₄" x 1 ¹/₂" x 18' 6" 38mm x 6mm x 5650mm



SPACER - 100 PACK

8MM - KASP08 16MM - KASP16 24MM - KASP24



LARGE CORNER STAKE - KAGCSFL

5" x 5" x 2 ¹/₂" 127mm x 127mm x 64mm



SMALL CORNER STAKE - KAGCSFS

3 ³/₈" x 3 ³/₈" x 1 ¹¹/₁₆" 86mm x 86mm x 43mm

Knotwood enclosures are used across many industries. Hospitality, food services, businesses, and residences all benefit from these systems.

At the end of the day you won't find another system that is cost-effective, resilient and beautiful all at once.



















SLAT SIZES

- 1 1/2", 2 1/2", 4" and 6" widths
- ⁵/₈" thickness

Mix and match sizes or keep it traditional with one. There are a variety of railings and posts at your disposal.

POSTS + RAILING

Our posts and railing utilize an integrated channel system to suit an array of Knotwood slat sizes. Concealed fastening provides a finished carpentry look.

OUR STYLES

Sleek designs are achievable with orientation options. Rectangular and oval railing are available with our systems. A variety of attachment methods are feasible with Knotwood railings.

RAILING PROFILES



6" SLAT - KES15016

6" x ⁵/₈" x 18' 6" 150mm x 16mm x 5650mm



HANDRAIL BASE - KESBF

2 ¹/₂" x 1" x 18' 6" 66mm x 27mm x 5650mm



1-WAY POST/TOP RAIL - KESP1W6525*

2 ⁹/₁₆" x 1" x 18' 6" 65mm x 25mm x 5650mm



1-WAY POST CAP - KAEC6525-R*

2 ⁹/₁₆" x 1" 65mm x 25mm



4" SLAT - KES10016

4" x ⁵/₈" x 18' 6" 100mm x 16mm x 5650mm



2.5" SLAT - KES6516*

2 ⁹/₁₆" x ⁵/₈" x 18' 6" 65mm x 16mm x 5650mm



1.5" SLAT - KES3816

1 ¹/₂" x ⁵/₈" x 18' 6" 38mm x 16mm x 5650mm



POST BASE PLATE KAOPBP65



HANDRAIL OVAL -KESBTFO

3" x 1 ¹/₄" x 18' 6" 75mm x 30mm x 5650mm



HANDRAIL RECTANGULAR -

3" x 1 ¹/₈" x 18' 6" 75mm x 30mm x 5650mm



2-WAY POST - KESP2W6565*

2 ⁹/₁₆" x 2 ⁹/₁₆" x 18' 6" 65mm x 65mm x 5650mm



KESBTFR

3030 U-CHANNEL -KESP3030

1 ¹/₄" x 1 ¹/₄" x 18' 6" 30mm x 30mm x 5650mm



SMALL INFILL - KESINFS

¹/₄" x ³/₄" x 18' 6" 20mm x 6mm x 5650mm





2-WAY POST CAP -KAEC6565-R*

2 ⁹/₁₆" x 2 ⁹/₁₆" 65mm x 65mm



ROUTED CAP (RECTANGULAR) - KAEC75RH-R

3" x 1" 75mm x 25mm




ROUTED CAP (OVAL) - KAEC750H-R

3" x 1" 75mm x 25mm


Safety is never compromised

with Knotwood railings. Privacy, performance, and elegance are key elements of our proprietary systems.

Much like our other slat and channel designs, our railings function with a variety of attachments.




RAILINGS SECTION



- 1. KESP2W6565 2-Way Post
- KESP2C6565EF Corner Post
- KESP1W6525 1-Way Post
- KESBF Handrail Base
- Finish Shown: Eastern Mahogany

- KESBTFR Handrail (Rect.)
- KES10016 4" Slat
- KESINFS Small Infill
- 8. KAEC75RH-R Routed Cap (Rect.)














GATE PROFILES



6" SLAT - KES15016

6" x ⁵/₈" x 18' 6" 150mm x 16mm x 5650mm



4" SLAT - KES10016

4" x ⁵/₈" x 18' 6 100mm x 16mm x 5650mm



2.5" SLAT - KES6516*

2 ⁹/₁₆" x ⁵/₈" x 18' 6" 65mm x 16mm x 5650mm



1.5" SLAT - KES3816

1 ¹/₂" x ⁵/₈" x 18' 6" 38mm x 16mm x 5650mm



LARGE GATE FRAME -KEGS10050

4" x 2" x 18' 6" 100mm x 50mm x 5650mm





SAFETECH HD ADJUSTABLE GATE HINGE (PAIR)

BLACK - KASHH-135LS



SMALL GATE FRAME -KEGSF6640

2 ¹/₂" x 1 ¹/₂" x 18' 6" 66mm x 40mm x 5650mm



2-WAY GATE CONNECTOR POST - KESP2W5030

POST - KESP2W5030 2 1/2" x 1 1/2" x 18' 6" 66mm x 44mm x 5650mm



4" x 4" POST -KEGS100100

4" x 4" x 18' 6 100mm x 100mm x 5650mm



2 ¹/₂" x 2 ¹/₂ POST -KEGS6565*

2 ⁹/₁₆" x 2 ⁹/₁₆" x 18' 6" 65mm x 65mm x 5650mm



2-WAY POST - KESP2W6565*

2 ⁹/₁₆" x 2 ⁹/₁₆" x 18' 6" 65mm x 65mm x 5650mm



SAFETECH ADJUSTABLE TENSION GATE HINGE (PAIR)

BLACK - KASHG-90



1-WAY POST/TOP RAIL - KESP1W6525*

2 ⁹/₁₆" x 1" x 18' 6" 65mm x 25mm x 5650mm



CORNER POST - KESP2C6565EF*

2 9/16" x 2 9/16" x 18' 6" 65mm x 65mm x 5650mm



3030 U-CHANNEL -KESP3030

1 ¹/₄" x 1 ¹/₄" x 18' 6" 30mm x 30mm x 5650mm



LARGE INFILL - KESINFL

¹/₄" x 1 ¹/₂" x 18' 6" 38mm x 6mm x 5650mm



0 0

SMALL INFILL - KESINFS

¹/₄" x ³/₄" x 18' 6" 20mm x 6mm x 5650mm



SAFETECH VIPER GRAVITY

BLACK - KAGSLV-VIPER



4" END CAP -KAEC100100-R

4" x 4" x 18' 6" 100mm x 100mm x 5650mm



2-WAY POST CAP - KAEC6565-R*

2 ⁹/₁₆" x 2 ⁹/₁₆" 65mm x 65mm



LARGE CORNER STAKE - KAGCSFL

5" x 5" x 2 ¹/₂" 127mm x 127mm x 64mm



SMALL CORNER STAKE - KAGCSFS

3 ³/₈" x 3 ³/₈" x 1 ¹¹/₁₆" 86mm x 86mm x 43mm



SLIDING GATE TRACK - KESGT80

4" x ³/₄" x 18' 6" 100mm x 20mm x 5650mm



SPACER - 100 PACK 8MM - KASP08

16MM - KASP16 24MM - KASP24 Let your imagination be your guide with Knotwood gates. Slats can be fitted in any orientation for a specific aesthetic.

Large and small gate frames are a testament to both performance and design flexibility.




Gate PEDESTRIAN

PROFILES

- 1. KESGF6640 Small Gate Frame
- 2. KES6516 2.5" Slat
- 3. KEGS6565 2 1/2" x 2 1/2" Post
- 4. KESINFS Small Infill
- 5. KAEC6565-R 2-Way Post Cap
- 6. KAGCSGFS Small Corner Stake
- 7. KASHH-135LS SafeTech Adjustable Hinge
- 8. KAGSLV-VIPER SafeTech Viper Gravity Lock

Finish Shown: Hickory














DECKING

Our Knotwood decking system is a valuable investment to add to any home or commercial project. Sustainable, strong, and safe, our decking system is slip-resistant, impervious to rot, warping, insect damage, rust, and cracking. The high-quality aluminum and durable finish provide for a low-maintenance deck that you can enjoy year-round without spending time and money on costly upkeep. Our wide range of colors and styles ensure you get exactly what you are looking for, taking the risk out of your investment. Go ahead and build your outdoor paradise.

VARIABLE BOARDS

We offer both interlocking and self-mating decking boards, available in 18'-6" lengths. Interlocking and self-mating systems offer effortless installation and are designed to conceal fasteners leaving a seamless wood-like finish.

APPLICATION IDEAS

A few examples where Knotwood decking can really shine are verandas, patios, poolside, courtyards, docks, outdoor kitchens, gardens and more.

FINISHING PIECES + ACCESSORIES

Our decking system offers a full range of finishing angles and clips to conceal and hide fasteners. We also offer a full line of trims allowing for additional customization. See the install guide or visit our website for more information.

DECKING PROFILES





6" DECK BOARD - KED150

6" x ⁵/₈" x 18' 6" 150mm x 16mm x 5650mm





STARTER - KEDSTRADJ

1 ⁵/₈" x ⁵/₈" x 18' 6" 42mm x 16mm x 5650mm





FIXING ANGLE - KEDFA5050

2" x 2" x 18' 6" 42mm x 50mm x 5650mm





TOP CLIP LARGE - KECFTTLM

2 ⁵/₈" x ⁵/₈" x 18' 6" 65mm x 16mm x 5650mm





FLASHING BASE - KECFBF

2 ³/₄" x ⁵/₈" x 18' 6" 70mm x 16mm x 5650mm





SMALL INFILL - KESINFS

¹/₄" x ³/₄" x 18' 6" 20mm x 6mm x 5650mm





TOP JOINER - KECTJM

2" x 5/8" x 18' 6" 50mm x 16mm





BOTTOM JOINER - KECJBF

4" x ⁵/₈" x 18' 6" 100mm x 16mm x 5650mm





KESM15016


6" x %" x 18' 6 150mm x 16mm x 5650mm







Knotwood decking is a permanent solution for your patio space.
The performance of aluminum, the beauty of wood.

Customize your system with interlocking or self-mating boards. Knotwood decking applications are easy to install.















PERGOLAS

Knotwood pergola systems are a tried-and-true way to create an outdoor oasis and complement any outdoor living space. Stylish, one-of-a-kind designs that are resilient and require little to no maintenance come together to create the perfect look. Pick from four different sizes and a wide selection of woodgrain, solid, and custom colors to build the pergola of your dreams.



BATTEN SIZES

- 18' 6" lengths
- 2" x 2"
- 2" x 4"
- 2" x 6"
- 2" x 8"

OUR LOOKS

Mix and match lengths to create unique designs or choose to stay with one size and length for a more uniform look. Dimensional designs are simple with our profile options. See the installation guide for more information or visit our website.

IDEAS FOR USE

Some examples for uses of our pergola systems include gardens, patios, outdoor dining areas, seating areas, poolside, and much more.

PERGOLA **PROFILES**





2" x 8" BATTEN - KEB20050F

2" x 8" x 18' 6" 200mm x 50mm x 5650mm





2" BATTEN BASE - KEB5050M

2" x 2" x 18' 6" 50mm x 50mm x 5650mm



2" x 8" BATTEN CAP -KAEC20050-R

2" x 8" x 18' 6" 200mm x 50mm x 5650mm



2" x 6" BEAM - KEGR15050

2" x 6" x 18' 6" 150mm x 50mm x 5650mm

NON-STANDARD





2" x 6" BATTEN - KEB15050F

2" x 6" x 18' 6" 150mm x 50mm x 5650mm





2" x 8" BEAM - KEGS20050

2" x 8" x 18' 6" 200mm x 50mm x 5650mm



2" x 6" BATTEN CAP -KAEC15050-R

2" x 6" x 18' 6" 150mm x 50mm x 5650mm





2" x 4" BEAM - KEGR10050

2" x 4" x 18' 6" 100mm x 50mm x 5650mm

NON-STANDARD





2" x 4" BATTEN - KEB10050F

2" x 4" x 18' 6" 100mm x 50mm x 5650mm



4" x 4" POST - KEGS100100

4" x 4" x 18' 6" 100mm x 100mm x 5650mm



2" x 4" BATTEN CAP -KAEC10050-R

2" x 4" x 18' 6" 100mm x 50mm x 5650mm





2" x 2" BATTEN - KEB5050F

2" x 2" x 18' 6" 50mm x 50mm x 5650mm



4" END CAP - KAEC100100-R

4" x 4" 100mm x 100mm



2" x 2" BATTEN CAP -KAEC5050-R

2" x 2" x 18' 6" 50mm x 50mm x 5650mm

Knotwood pergolas are a true solution to outdoor space enhancement. You can even incorporate customized shade elements and screening.


Knotwood batten systems, beams and posts come together to create beautiful structures for any public or private space.



PERGOLA SECTION














KNOTWOOD IS
COMMITTED TO MAKING
A PRODUCT THAT IS
CLEANER, GREENER
AND BETTER FOR THE
ENVIRONMENT.

Choosing a material with sustainability in mind is paramount. Aluminum is safe, ecologically sensible, lightweight yet extremely strong, and 100% recyclable. Knotwood uses VOC-free coatings and lead-free finishes, resulting in a smaller environmental footprint. Knotwood is a LEED-certified green building material which means lower energy costs. Knotwood remains committed to ecologically responsible production processes.





PROFILE INDEX

Cladding + Soffits				PART NUMBER	DIMENSIONS (in)	DIMENSIONS (mm)	STANDARD PROFILE
	8"		77	KEC200	8" x ⁵ / ₈ " x 18' 6"	200mm x 16mm x 5650mm	
SDS	6"		77 7	KEC150	6" x ⁵ / ₈ " x 18' 6"	150mm x 16mm x 5650mm	~
BOARDS	6" Vented		74 1	KECV150	6" x ⁵ / ₈ " x 18' 6"	150mm x 16mm x 5650mm	~
	4"		7 7 I	KEC100	4" x ⁵ / ₈ " x 18' 6"	100mm x 16mm x 5650mm	
+ SLATS	6" Self-Mating Slat			KESM15016	6" x ⁵ /8" x 18' 6"	150mm x 16mm x 5650mm	~
1S + S.	4" Self-Mating Slat			KESM10016	4" x ⁵ / ₈ " x 18' 6"	100mm x 16mm x 5650mm	
POSTS	2.5" Self-Mating Slat			KESM6516*	2 ⁹ /16" X ⁵ /8" X 18' 6"	65mm x 16mm x 5650mm	
	STARTER			KEDSTRADJ	1 ⁵ /8" x ⁵ /8" x 18' 6"	42mm x 16mm x 5650mm	~
	Flashing Base			KECFBF	2 ³ / ₄ " × ⁵ / ₈ " × 18' 6"	70mm x 16mm x 5650mm	~
S	Top Clip Large		П	KECFTTLM	2 ⁵ /8" x ⁵ /8" x 18' 6"	65mm x 16mm x 5650mm	~
SORIE	Corner Clip Male			KECIECLM	2" x 2" x 18' 6"	50mm x 50mm x 5650mm	~
CCES	Corner Clip Female		<u>E</u>	KECIECF	1 ³ / ₄ " x 1 ³ / ₄ " x 18' 6"	45mm x 45mm x 5650mm	~
TRIMS + ACCESSORIES	Cladding Clip		<u> </u>	KAOCC45	1 3/4"	45mm	~
TRII	Corner Clip 135 Deg Male			KECIECLM135	4" x ⁵ / ₈ " x 18' 6"	100mm x 16mm x 5650mm	
	Corner Clip 135 Deg Female		1	KECIECLF135	4" x ⁵ / ₈ " x 18' 6"	100mm x 16mm x 5650mm	
JOINERS	Top Joiner	1	1	KECTJM	2" x ⁵ / ₈ " x 18' 6"	50mm x 16mm x 5650mm	~
JOIN	Bottom Joiner			KECJBF	4" x ⁵ /8" x 18' 6"	100mm x 16mm x 5650mm	~

Battens				PART NUMBER	DIMENSIONS (in)	DIMENSIONS (mm)	STANDARD PROFILE
	2" x 8"	30.00		KEB20050F	2" x 8" x 18' 6"	200mm x 50mm x 5650mm	~
	2" x 6"		3 3	KEB15050F	2" x 6" x 18' 6"	150mm x 50mm x 5650mm	~
	2" x 4"		3	KEB10050F	2" x 4" x 18' 6"	100mm x 50mm x 5650mm	~
	2" x 2"		95	KEB5050F	2" x 2" x 18' 6"	50mm x 50mm x 5650mm	~
ENS	1" x 6"			KEB15025F	1" x 6" x 18' 6"	25mm x 150mm x 5650mm	
BATTENS	1" x 4"			KEB10025F	1" x 4" x 18' 6"	25mm x 100mm x 5650mm	
	1" x 3"			KEB7525F	1" x 3" x 18' 6"	25mm x 75mm x 5650mm	
	1" x 2"			KEB5025F	1" x 2" x 18' 6"	25mm x 50mm x 5650mm	
	2" x 8" Elliptical		3	KEB20050FE	2" x 8" x 18' 6"	50mm x 200mm x 5650mm	
	2" x 6" Elliptical		3	KEB15050FE	2" x 6" x 18' 6"	50mm x 150mm x 5650mm	
BASES	2"	19	***	KEB5050M	2" x 2" x 18′ 6"	50mm x 50mm x 5650mm	~
BA	1"			KEB5025MS	1" x 2" x 18' 6"	22mm x 48mm x 5650mm	
S	2" x 6"		3 3	KEBJ15050	2" x 6" x 18' 6"	50mm x 150mm x 5650mm	
JOINERS	2" (45 Deg)			KEBJ45D	2" x 2" x 18' 6"	50mm x 50mm x 5650mm	
	2"	1	e	KEBJ5050	2" x 2" x 18' 6"	50mm x 50mm x 5650mm	
	2" x 8" Batten Cap	4	<i>3</i>	KAEC20050-R	2" x 8"	50mm x 200mm	~
APS	2" x 6" Batten Cap	4		KAEC15050-R	2" x 6"	50mm x 150mm	~
ENDCAPS	2" x 4" Batten Cap		<i>></i>	KAEC10050-R	2" x 4"	50mm x 100mm	~
	2" x 2" Batten Cap		>-	KAEC5050-R	2" x 2"	50mm x 50mm	~

Fenc	cing + Screens	5		PART NUMBER	DIMENSIONS (in)	DIMENSIONS (mm)	STANDARD PROFILE
	2" x 8"	300		KEB20050F	2" x 8" x 18' 6"	200mm x 50mm x 5650mm	✓
SN	2" x 6"	-	3 3	KEB15050F	2" x 6" x 18' 6"	150mm x 50mm x 5650mm	✓
BATTENS	2" x 4"	-	3	KEB10050F	2" x 4" x 18' 6"	100mm x 50mm x 5650mm	✓
	2" x 2"	The state of the s	6 8	KEB5050F	2" x 2" x 18' 6"	50mm x 50mm x 5650mm	✓
BASE	2"	Ta .		KEB5050M	2" x 2" x 18' 6"	50mm x 50mm x 5650mm	✓
	6" Slat			KES15016	6" x ⁵/8" x 18′ 6"	150mm x 16mm x 5650mm	✓
	4" Slat			KES10016	4" x ⁵ /8" x 18' 6"	100mm x 16mm x 5650mm	✓
	2.5" Slat			KES6516*	2 ⁹ / ₁₆ " x ⁵ / ₈ " x 18' 6"	65mm x 16mm x 5650mm	✓
	1.5" Slat			KES3816	1 ¹ / ₂ " x ⁵ / ₈ " x 18' 6"	38mm x 16mm x 5650mm	✓
ွှ	6" Self-Mating Slat			KESM15016	6" x ⁵ /8" x 18' 6"	150mm x 16mm x 5650mm	✓
POSTS+SLATS	4" Self-Mating Slat			KESM10016	4" x ⁵ /8" x 18' 6"	100mm x 16mm x 5650mm	
OSTS -	2.5" Self-Mating Slat			KESM6516*	2 ⁹ / ₁₆ " x ⁵ / ₈ " x 18' 6"	65mm x 16mm x 5650mm	
PC	1.5" Self-Mating Slat	16	ст-т-	KESM3816	1 ¹ / ₂ " x ⁵ / ₈ " x 18' 6"	38mm x 16mm x 5650mm	
	4" x 4" Post			KEGS100100	4" x 4" x 18' 6"	100mm x 100mm x 5650mm	✓
	2 1/2" x 2 1/2" Post			KEGS6565*	2 ⁹ / ₁₆ " x 2 ⁹ / ₁₆ " x 18' 6"	65mm x 65mm x 5650mm	~
	2-Way Post		吕	KESP2W6565*	2 ⁹ /16" X 2 ⁹ /16" X 18' 6"	65mm x 65mm x 5650mm	~
	1-Way Post / Top Rail		مد	KESP1W6525*	2 ⁹ / ₁₆ " x 1" x 18' 6"	65mm x 25mm x 5650mm	✓
	Corner Post	19	沿	KESP2C6565EF*	2 ⁹ /16" x 2 ⁹ /16" x 18' 6"	65mm x 65mm x 5650mm	~

Fencing + Screens, cont.			PART NUMBER	DIMENSIONS (in)	DIMENSIONS (mm)	STANDARD PROFILE	
(O	2" x 6"		B B	KEBJ15050	2" x 6" x 18' 6"	50mm x 150mm x 5650mm	
JOINERS	2" (45 Deg)		7	KEBJ45D	2" x 2" x 18' 6"	50mm x 50mm x 5650mm	
7	2"	1	e	KEBJ5050	2" x 2" x 18' 6"	50mm x 50mm x 5650mm	
	U-CHANNEL		\$.9 L	KESP3030	1 ¹ / ₄ " x 1 ¹ / ₄ " x 18' 6"	30mm x 30mm x 5650mm	✓
	SMALL INFILL		₹}	KESINFS	¹ / ₄ " × ³ / ₄ " × 18' 6"	20mm x 6mm x 5650mm	✓
	4" End Cap		>	KAEC100100-R	4" × 4"	100mm x 100mm	✓
	2" x 8" Batten Cap			KAEC20050-R	2" x 8"	50mm x 200mm	~
	2" x 6" Batten Cap			KAEC15050-R	2" x 6"	50mm x 150mm	~
APS	2" x 4" Batten Cap			KAEC10050-R	2" x 4"	50mm x 100mm	~
ENDCAPS	2" x 2" Batten Cap		-		2" × 2"	50mm x 50mm	~
	1-Way Post Cap				2 ⁹ /16" x 1"	65mm x 25mm	~
	2-Way Post Cap			KAEC6565-R*	2 ⁹ /16" X 2 ⁹ /16"	65mm x 65mm	~
	3030 U-Channel End Cap	→		KAEC3030-R	1 1/4" × 1 1/4"	30mm x 30mm	~
S	Louvered Slat End Cap	V		KAECL1-P	Fits 2.5" slat only	Fits 65mm slat only	~
ACCESSORIES	Louvered Slat End Cap 2	W		KAECL2-P	Fits 2.5" slat only	Fits 65mm slat only	~
ACCES	Spacers – 100 pack			8MM - KASP08 16MM - KASP16 24MM - KASP24A	N/A	8MM 16MM 24MM	~

Enclosures			PART NUMBER	DIMENSIONS (in)	DIMENSIONS (mm)	STANDARD PROFILE	
	6" Slat			KES15016	6" x ⁵ /8" x 18' 6"	150mm x 16mm x 5650mm	~
	4" Slat			KES10016	4" x ⁵ /8" x 18' 6"	100mm x 16mm x 5650mm	~
	2.5" Slat			KES6516*	2 ⁹ / ₁₆ " x ⁵ / ₈ " x 18' 6"	65mm x 16mm x 5650mm	~
ATS	1.5" Slat			KES3816	1 ¹ / ₂ " x ⁵ / ₈ " x 18' 6"	38mm x 16mm x 5650mm	~
POSTS + SLATS	4" x 4" Post			KEGS100100	4" x 4" x 18' 6"	100mm x 100mm x 5650mm	~
Post	2 1/2" x 2 1/2" Post			KEGS6565*	2 ⁹ /16" X 2 ⁹ /16" X 18' 6"	65mm x 65mm x 5650mm	~
	2-Way Post		H	KESP2W6565*	2 ⁹ /16" x 2 ⁹ /16" x 18' 6"	65mm x 65mm x 5650mm	~
	1-Way Post / Top Rail			KESP1W6525*	2 ⁹ /16" x 1" x 18' 6"	65mm x 25mm x 5650mm	~
	Corner Post		<u>P</u>	KESP2C6565EF*	2 ⁹ /16" X 2 ⁹ /16" X 18' 6"	65mm x 65mm x 5650mm	~
	U-CHANNEL			KESP3030	1 ¹ / ₄ " x 1 ¹ / ₄ " x 18' 6"	30mm x 30mm x 5650mm	~
	LARGE INFILL		7	KESINFL	¹ / ₄ " × 1 ¹ / ₂ " × 18' 6"	38mm x 6mm x 5650mm	~
	SMALL INFILL		₹ 5	KESINFS	¹ / ₄ " x ³ / ₄ " x 18′ 6"	20mm x 6mm x 5650mm	~
· o	4" End Cap		>	KAEC100100-R	4" × 4"	100mm x 100mm	~
APS +	2-Way Post Cap			KAEC6565-R*	2 ⁹ /16" X 2 ⁹ /16"	65mm x 65mm	~
END CAPS + ACCESSORIES	Large Corner Stake	4		KAGCSFL	5" x 5" x 2 ¹ / ₂ "	127mm x 127mm x 64mm	~
•	Small Corner Stake	4		KAGCSFS	3 ³ /8" X 3 ³ /8" X 1 ¹¹ / ₁₆ "	86mm x 86mm x 43mm	~
	SPACERS PACK OF 100			8MM - KASP08 16MM - KASP16 24MM - KASP24A	N/A	8MM 16MM 24MM	~

 $^{{}^{\}star}\!\mathsf{Metric\ dimensions\ are\ exact.\ Imperial\ dimensions\ are\ approximate.}$

Railings			PART NUMBER	DIMENSIONS (in)	DIMENSIONS (mm)	STANDARD PROFILE	
	6" Slat			KES15016	6" x ⁵ /8" x 18' 6"	150mm x 16mm x 5650mm	~
	4" Slat			KES10016	4" x ⁵ /8" x 18' 6"	100mm x 16mm x 5650mm	~
rs	2.5" Slat			KES6516*	2 ⁹ / ₁₆ " X ⁵ / ₈ " X 18' 6"	65mm x 16mm x 5650mm	~
+ HANDRAILS	1.5" Slat			KES3816	1 ¹ / ₂ " x ⁵ / ₈ " x 18' 6"	38mm x 16mm x 5650mm	~
+ HAI	Handrail Base			KESBF	2 ¹ / ₂ " × 1" × 18' 6"	66mm x 27mm x 5650mm	~
SLATS	Handrail Oval			KESBTFO	3" x 1 ¹ / ₄ " x 18' 6"	75mm x 30mm x 5650mm	~
POSTS,	Handrail Rectangular			KESBTFR	3" x 1 ¹ / ₈ " x 18' 6"	75mm x 30mm x 5650mm	~
	2-Way Post		出	KESP2W6565*	2 ⁹ /16" X 2 ⁹ /16" X 18' 6"	65mm x 65mm x 5650mm	~
	1-Way Post / Top Rail		20	KESP1W6525*	2 ⁹ / ₁₆ " x 1" x 18' 6"	65mm x 25mm x 5650mm	~
	Corner Post		ය	KESP2C6565EF*	2 ⁹ /16" X 2 ⁹ /16" X 18' 6"	65mm x 65mm x 5650mm	~
	U-CHANNEL			KESP3030	1 ¹ / ₄ " x 1 ¹ / ₄ " x 18' 6"	30mm x 30mm x 5650mm	~
	SMALL INFILL		₹ <u>}</u>	KESINFS	¹ / ₄ " x ³ / ₄ " x 18' 6"	20mm x 6mm x 5650mm	~
ES	1-Way Post Cap	4	<i></i>	KAEC6525-R*	2 ⁹ /16" x 1"	65mm x 25mm	~
ACCESSORIES	2-Way Post Cap	4		KAEC6565-R*	2 ⁹ /16" X 2 ⁹ /16"	65mm x 65mm	~
+	Routed Cap - Rectangular	4	7	KAEC75RH-R	3" x 1"	75mm x 25mm	~
END CAPS	Routed Cap - Oval		7	KAEC75RO-R	3" x 1"	75mm x 25mm	~
	Post Base Plate			KAOPBP65	N/A	N/A	~

 $[\]hbox{{\tt *Metric dimensions are exact. Imperial dimensions are approximate.}}\\$

Gates			PART NUMBER	DIMENSIONS (in)	DIMENSIONS (mm)	STANDARD PROFILE	
	6" Slat			KES15016	6" x ⁵ /8" x 18' 6"	150mm x 16mm x 5650mm	~
	4" Slat			KES10016	4" x ⁵ /ε" x 18' 6"	100mm x 16mm x 5650mm	~
	2.5" Slat			KES6516*	2 ⁹ / ₁₆ " x ⁵ / ₈ " x 18' 6"	65mm x 16mm x 5650mm	~
(0	1.5" Slat			KES3816	1 ¹ / ₂ " x ⁵ / ₈ " x 18' 6"	38mm x 16mm x 5650mm	~
SLATS	2-Way Gate Connector Post			KESP2W5030	2 ¹ / ₂ " x 1 ¹ / ₂ " x 18′ 6"	66mm x 44mm x 5650mm	~
POSTS+	4" x 4" Post			KEGS100100	4" x 4" x 18' 6"	100mm x 100mm x 5650mm	~
PC	2 1/2" x 2 1/2" Post			KEGS6565*	2 ⁹ / ₁₆ " x 2 ⁹ / ₁₆ " x 18' 6"	65mm x 65mm x 5650mm	~
	2-Way Post		8	KESP2W6565*	2 ⁹ / ₁₆ " x 2 ⁹ / ₁₆ " x 18' 6"	65mm x 65mm x 5650mm	~
	1-Way Post / Top Rail		20	KESP1W6525*	2 ⁹ /16" x 1" x 18' 6"	65mm x 25mm x 5650mm	~
	Corner Post		25	KESP2C6565EF*	2 ⁹ /16" x 2 ⁹ /16" x 18' 6"	65mm x 65mm x 5650mm	~
LAI	RGE GATE FRAME			KEGS10050	4" x 2" x 18' 6"	100mm x 50mm x 5650mm	~
SM	ALL GATE FRAME		4	KEGS10050	2 ¹ / ₂ " x 1 ¹ / ₂ " x 18' 6"	66mm x 40mm x 5650mm	~
	U-CHANNEL		<u> </u>	KEGSF6640	2 ¹ / ₄ " x 1 ¹ / ₄ " x 18' 6"	30mm x 30mm x 5650mm	~
	LARGE INFILL		T	KESINFL	¹ / ₄ " × 1 ¹ / ₂ " × 18' 6"	38mm x 6mm x 5650mm	~
	SMALL INFILL		8-3	KESINFS	1/4" X 3/4" X 18' 6"	20mm x 6mm x 5650mm	~
S	4" End Cap			KAEC100100-R	4" x 4"	100mm x 100mm	~
END CAPS + ACCESSORIES	2-Way Post Cap	-		KAEC6565-R*	2 ⁹ /16" X 2 ⁹ /16"	65mm x 65mm	~
END C	Large Corner Stake	4	4	KAGCSFL	5" x 5" x 2 ¹ / ₂ "	127mm x 127mm x 64mm	~
▼	Small Corner Stake	4	4	KAGCSFS	3 ³ /8" x 3 ³ /8" x 1 ¹¹ / ₁₆ "	86mm x 86mm x 43mm	~

 $[\]hbox{*Metric dimensions are exact. Imperial dimensions are approximate}.$

Gates, cont.			PART NUMBER	DIMENSIONS (in)	DIMENSIONS (mm)	STANDARD PROFILE
	Sliding Gate Track		KESGT80	4" x ³ / ₄ " x 18'	86mm x 86mm x 43mm	~
	Sliding Gate Pack	T\$	KAGSP	N/A	N/A	~
RIES	Safetech HD Adjustable Gate Hinge (Pair)		KASHH-135LS	N/A	N/A	~
ACCESSORIES	Safetech HD Adjustable Tension Gate Hinge (Pair)		KASHG-90	N/A	N/A	~
ACC	Safetech Viper Gravity Lock	41	KAGSLV-VIPER	N/A	N/A	~
	Spacers Pack of 100		8MM - KASP08 16MM - KASP16 24MM - KASP24A	N/A	8MM 16MM 24MM	~

Decking			PART NUMBER	DIMENSIONS (in)	DIMENSIONS (mm)	STANDARD PROFILE	
BOARDS	6" Deck Board		77 1 7	KED150	6" x ⁵ /8" x 18' 6"	150mm x 16mm x 5650mm	~
BOA	6" Self-Mating Slat			KESM15016	6" x ⁵ /8" x 18' 6"	150mm x 16mm x 5650mm	~
	STARTER			KEDSTRADJ	1 ⁵ /8" x ⁵ /8" x 18' 6"	42mm x 16mm x 5650mm	~
F	IXING ANGLE		5	KEDFA5050	2" x 2" x 18' 6"	42mm x 50mm x 5650mm	~
BASES	Top Clip Large	-	π	KECFTTLM	2 ⁵ /s" x ⁵ /s" x 18′ 6"	65mm x 16mm x 5650mm	~
CLIPS+	Flashing Base			KECFBF	2 ³ / ₄ " x ⁵ / ₈ " x 18′ 6"	70mm x 16mm x 5650mm	~
	SMALL INFILL		₹	KESINFS	¹ / ₄ " × ³ / ₄ " × 18' 6"	20mm x 6mm x 5650mm	~
ERS	Top Joiner	1		KECTJM	2" x ⁵ /8" x 18' 6"	50mm x 16mm x 5650mm	~
JOINERS	Bottom Joiner			KECJBF	4" x ⁵ /8" x 18' 6"	100mm x 16mm x 5650mm	~

^{*}Metric dimensions are exact. Imperial dimensions are approximate.

Pergolas			PART NUMBER	DIMENSIONS (in)	DIMENSIONS (mm)	STANDARD PROFILE	
	2" x 8"	3000		KEB20050F	2" x 8" x 18' 6"	200mm x 50mm x 5650mm	~
SN	2" x 6"		* s	KEB15050F	2" x 6" x 18' 6"	150mm x 50mm x 5650mm	~
BATTENS	2" x 4"		3	KEB10050F	2" x 4" x 18' 6"	100mm x 50mm x 5650mm	✓
	2" x 2"	13	39	KEB5050F	2" x 2" x 18' 6"	50mm x 50mm x 5650mm	~
2	2" BATTEN BASE	Ta.	8	KEB5050M	2" x 2" x 18' 6"	50mm x 50mm x 5650mm	~
SI	2" x 8" Beam			KEGS20050	2" x 8" x 18' 6"	200mm x 50mm x 5650mm	~
+ POSTS	2" x 6" Beam			KEGS15050	2" x 6" x 18' 6"	150mm x 50mm x 5650mm	
BEAMS	2" x 4" Beam			KEGS10050	2" x 4" x 18' 6"	100mm x 50mm x 5650mm	
BE	4" x 4" Post			KEGS100100	4" × 4" × 18' 6"	100mm x 100mm x 5650mm	✓
	4" End Cap		>	KAEC100100-R	4" × 4"	100mm x 100mm	✓
S	2" x 8" Batten Cap			KAEC20050-R	2" x 8"	50mm x 200mm	✓
ENDCAPS	2" x 6" Batten Cap			KAEC15050-R	2" x 6"	50mm x 150mm	~
Ш	2" x 4" Batten Cap				2" x 4"	50mm x 100mm	~
	2" x 2" Batten Cap	4	►	KAEC5050-R	2" × 2"	50mm x 50mm	~







Knotwood joins perfectly with our sister brands, Equinox Louvered Roof and Alumawood, to create one-of-a-kind designs that are sure to inspire.

These products come together to deliver true **architectural excellence** to any residential or commercial project.

To learn more visit www.equinoxroof.com and www.alumawood.com.

FIND US ON SOCIAL



@KnotwoodUS



@KnotwoodUS



@KnotwoodUS



@KnotwoodUS





KNOTWOOD IS
COMMITTED TO MAKING
A PRODUCT THAT IS
CLEANER, GREENER
AND BETTER FOR THE
ENVIRONMENT.

K KNOTWOOD.COM

© 2023 KNOTWOOD 08/2023